



viflow

Portal > Knowledgebase > Manuals > viflow 8 > [Open the viflow 8 WebModel locally](#)

Open the viflow 8 WebModel locally

Hendrik Evers - 2021-10-18 - in viflow 8

For the full functionality of the viflow-8 WebModel, it must be accessed from a web server. However, it can also be opened locally for test purposes.

For this, .NET Core Runtime 3.1 and ASP.NET Core Runtime 3.1 must be installed. Both components can be found in the [Hosting Bundle 1](#).

Run apps - Runtime ⓘ

ASP.NET Core Runtime 3.1.14

The ASP.NET Core Runtime enables you to run existing web/server applications. **On Windows, we recommend installing the Hosting Bundle, which includes the .NET Runtime and IIS support.**

IIS runtime support (ASP.NET Core Module v2)


13.1.21075.14

OS	Installers	Binaries
Linux	Package manager instructions	Arm32 Arm64 Arm64 Alpine x64 x64 Alpine
macOS		x64
Windows	Hosting Bundle x86 1	Arm32 x64 x86

You can also find all important information on viflow.tv in our video tutorial [Open the viflow 8 WebModel locally](#).

1. Open the viflow-8 WebModel once after the export

You can automatically open the viflow-8 WebModel once directly after the export. To do this, activate the Open WebModel after creation option in the "Finalize settings" export dialog 2. If the option is inactive, please make sure that you have installed .NET Core Runtime 3.1 and ASP.NET Core Runtime 3.1 1.



2. Open the viflow-8 WebModel locally repeatedly

1. Open the directory that contains the WebModel.
2. Search for the program **ViCon.ViFlow.WebModel.Server.exe** 3 and start it.

ViCon.ViFlow.WebModel.Server.deps.json	30.04.2021 09:17	JSON-Datei	266 KB
ViCon.ViFlow.WebModel.Server.dll	30.04.2021 09:17	Anwendungserweiterung	646 KB
ViCon.ViFlow.WebModel.Server.exe 3	30.04.2021 09:17	Anwendung	178 KB
ViCon.ViFlow.WebModel.Server.runconfig.json	22.04.2021 09:35	JSON-Datei	1 KB
ViCon.ViFlow.WebModel.Server.xml	28.04.2021 13:05	XML-Dokument	175 KB
ViCon.ViFlow.xml	28.04.2021 13:04	XML-Dokument	561 KB
web.config	28.04.2021 13:05	CONFIG-Datei	1 KB
webmodel.sqlite	20.05.2021 15:05	SQLITE-Datei	9.900 KB

A window opens. Leave this open as long as you are using the viflow WebModel.

3. Search here for the line *Now listening on: http://localhost: ...* 4.

```
C:\Users\Evers\Desktop\WebModels\viflow 8\kantig hell\ViCon.ViFlow.WebModel.Server.exe
info: Microsoft.Hosting.Lifetime[0]
      Now listening on: http://localhost:5000
info: Microsoft.Hosting.Lifetime[0]
      Application started. Press Ctrl+C to shut down.
info: Microsoft.Hosting.Lifetime[0]
      Hosting environment: Production
info: Microsoft.Hosting.Lifetime[0]
      Content root path: C:\Users\Evers\Desktop\WebModels\viflow 8\kantig hell
```

4. Copy it into the address bar of your browser.
5. The WebModel opens.